Molecular Immunology

LIST OF CONTENTS AND
AUTHOR INDEX
FOR VOLUME 31, 1994

PERGAMON

Molecular Immunology

Board of Regional Editors

Prof. MICHEL FOUGEREAU (Chairman of the Board), *Centre d'Immunologie de Marseille-Luminy, Case* 906, 13288 *Marseille Cedex* 9, *France*

Dr JANNIE BORST, *Division of Cellular Biochemistry, The Netherlands Cancer Institute, Plesmanlaan* 121, 1066 *CX Amsterdam, The Netherlands*

Dr STEVE DOWER, *Immunex Corporation,* 51 *University Street, Seattle, WA* 98101, *U.S.A.*

Dr STEVE GERONDAKIS, *The Walter and Eliza Hall Institute of Medical Research, Royal Melbourne Hospital, Victoria* 3050, *Australia*

Dr DAVID HOLOWKA, *Department of Chemistry, Cornell University, Ithaca, NY* 14853, *U.S.A.*

Dr ED PALMER, *Basel Institute for Immunology, Grenzacherstrasse* 487, *CH*-4005, *Basel, Switzerland*

Dr HIDDE PLOEGH, *Massachusetts Institute of Technology, Center for Cancer Research,* 40 *Ames Street, E*17-322, *Cambridge, MA* 02139, *U.S.A.*

Founding Editor

Prof. DAN H. CAMPBELL

Advisory Editors

B. H. BARBER
Toronto, Canada

DAVID H. BING
Boston, MA, U.S.A.

C. A. BONA
New York, NY, U.S.A.

GUY BORDENAVE
Paris, France

DENNIS R. BURTON
San Diego, CA, U.S.A.

L. WILLIAM CLEM
Jackson, MI, U.S.A.

JOHN E. COLIGAN
Bethesda, MD, U.S.A.

MAURICE COLOMB
Grenoble, France

GIAMPIETRO CORRADIN
Lausanne, Switzerland

M. DAERON
Paris, France

M. P. DIERICH
Innsbruck, Austria

DOUGLAS FEARON
Cambridge, U.K.

Z. FISHELSON
Tel Aviv, Israel

R. FRADE
Paris, France

ARNOLD FROESE
Winnipeg, Canada

C. GRANIER
Montpellier, France

JOHN K. INMAN
Bethesda, MD, U.S.A.

DAVID ISENMAN
Toronto, Canada

M. KAARTINEN
Helsinki, Finland

JEAN-PIERRE KINET
Bethesda, MD, U.S.A.

MICHEL KLEIN
Toronto, Canada

D. M. KRANZ
Urbana, IL, U.S.A.

M. P. LEFRANC
Montpellier, France

WARREN J. LEONARD
Bethesda, MD, U.S.A.

HENNING LOWENSTEIN
Horsholm, Denmark

J. P. MACH
Epalinges, Switzerland

DAVID G. MARSH
Baltimore, MD, U.S.A.

SHERIE L. MORRISON
Los Angeles, CA, U.S.A.

JIRI NOVOTNY
Princeton, NJ, U.S.A.

EDUARDO A. PADLAN
Bethesda, MD, U.S.A.

ISRAEL PECHT
Rehovot, Israel

JEAN-LOUIS PREUD'HOMME
Poitiers, France

KENNETH H. ROUX
Tallahassee, FL, U.S.A.

D. J. ROWLANDS
London, U.K.

VERNE N. SCHUMAKER
Los Angeles, CA, U.S.A.

DAVID M. SEGAL
Bethesda, MD, U.S.A.

B. DAVID STOLLAR
Boston, MA, U.S.A.

MARC VAN REGENMORTEL
Strasbourg, France

EDWARD W. VOSS, JR
Urbana, IL, U.S.A.

JUNJI YODOI
Kyoto, Japan

D. C. YUAN
Dallas, TX, U.S.A.

Production Editor

TANWEN EVANS, *Elsevier Science Ltd, Oxford OX*5 1*GB, U.K. Tel.* 01865 843735.

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K., and Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A. Annual Institutional Subscription Rates 1995: North, Central and South America, U.S.$1349.00, Rest of World £905.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and for the remainder of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Published monthly plus additional issues in February, April, June, August, October and December.

Copyright © 1994 Elsevier Science Ltd

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Second Class Postage paid at Newark, NJ and additional mailing offices. Postmaster send address corrections to *Molecular Immunology*, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

CONTENTS OF VOLUME 31

NUMBER 1

Y. Altuvia, J. A. Berzofsky, R. Rosenfeld and H. Margalit 1 Sequence features that correlate with MHC restriction

S.-I. Kanazashi, D. Hata, T. Ishigami, E.-Y. Jung, N. Shintaku, S.-I. Sumimoto, T. Heike, K. Katamura and M. Mayumi 21 Induction of phosphatidylinositol turnover and EGR-1 mRNA expression by crosslinking of surface IgM and IgD in the human B cell line B104

E. Batanero, M. Villalba and R. Rodríguez 31 Glycosylation site of the major allergen from olive tree pollen. Allergenic implications of the carbohydrate moiety

K. D. Victor and J. D. Capra 39 An apparently common mechanism of generating antibody diversity: length variation of the V_L–J_L junction

D. Couez, F. Pagès, M. Ragueneau, J. Nunès, S. Klasen, C. Mawas, A. Truneh and D. Olive 47 Functional expression of human CD28 in murine T cell hybridomas

J. Avila-Cariño, Zs. Végh and E. Klein 59 Generation of HLA-B55 restricted T lymphocyte mediated cytotoxicity against autologous LCL

M.-H. Cottet, C. Denoyelle and G. Bordenave 65 Epitope complementarity and idiotypic interactions: a study of idiotypic-like interactions between anti-cytidine and anti-guanosine A/J mouse monoclonal antibodies—I. Characterization of these interactions

Brief structural data reports

M.-H. Cottet and G. Bordenave 75 Epitope complementarity and idiotypic interactions: a study of idiotypic-like interactions between anti-cytidine and anti-guanosine A/J mouse monoclonal antibodies—II. Analysis of the gene repertoire used to encode the variable regions of these antibodies

P. Thammana 77 Characterization of a deletion in the P3 myeloma heavy chain V region sequence in the non-secreting cell line NS1

Short Communication

X. X. Tang, N. Ikegaki and E. Heber-Katz 79 Nucleotide sequences of three new members of the mouse Vα2 gene family

i *Forthcoming Papers*

NUMBER 2

B. J. Rogerson 83 Mapping the upstream boundary of somatic mutations in rearranged immunoglobulin transgenes and endogenous genes

C. L. Chou and S. L. Morrison 99 Intron sequences determine the expression of kappa light chain genes

C. Genevée, V. Chung, A. Diu, T. Hercend and F. Triebel 109 TCR gene segments from at least one third of Vα subfamilies rearrange at the δ locus

R. A. Spooner, D. J. Allen, A. A. Epenetos and J. M. Lord 117 Expression of immunoglobulin heavy chain–ricin A chain fusions in mammalian cells

R. Zemel, D. G. Schindler, D. S. Tawfik, Z. Eshhar and B. S. Green — 127 Differences in the biochemical properties of esterolytic antibodies correlate with structural diversity

B. G. Monks, B. A. Martell, J. A. Buras and M. J. Fenton — 139 An upstream protein interacts with a distinct protein that binds to the cap site of the human interleukin 1β gene

R. J. Carlin, C. Kamps-Holtzapple and L. H. Stanker — 153 Characterization of monoclonal anti-furosemide antibodies and molecular modeling studies of cross-reactive compounds

Short communication

M.-A. Bakos, S. G. Widen and R. M. Goldblum — 165 Expression and purification of biologically active domain I of the human polymeric immunoglobulin receptor

i *Forthcoming Papers*

NUMBER 3

Review

E. A. Padlan — 169 Anatomy of the antibody molecule

D. P. McGregor, P. E. Molloy, C. Cunningham and W. J. Harris — 219 Spontaneous assembly of bivalent single chain antibody fragments in *Escherichia coli*

I. Yokoyama and F. Waxman — 227 Differential susceptibility of immune complexes to release from the erythrocyte CR1 receptor by Factor I

R. J. Pogulis and L. R. Pease — 241 Alternative pre-mRNA splicing of K^J eliminates a sequence that is unique to *H-2K* transcripts

245 *Announcement*

i *Forthcoming Papers*

NUMBER 4

C. Blondin, E. Fischer, C. Boisson-Vidal, M. D. Kazatchkine and J. Jozefonvicz — 247 Inhibition of complement activation by natural sulfated polysaccharides (fucans) from brown seaweed

M. Daibata, M. Xu, R. E. Humphreys and V. E. Reyes — 255 More efficient peptide binding to MHC class II molecules during cathepsin B digestion of I_i than after I_i release

K. De Sutter and W. Fiers — 261 A bifunctional murine::human chimeric antibody with one antigen-binding arm replaced by bacterial β-lactamase

N. Tuaillon, R. A. Watts, D. A. Isenberg and S. Muller — 269 Sequence analysis and fine specificity of two human monoclonal antibodies to histone H1

M. Czerwinski, D. P. Blackall, W. R. Abrams, R. J. Rubocki and S. L. Spitalnik — 279 Restricted V_H gene usage by murine hybridomas directed against the human N, but not M, blood group antigen

T. L. McInerney, L. E. Brown, V. R. Sutton and D. C. Jackson — 289 Analysis of antibody–antigen and antibody–anti-(idiotypic antibody) cross-reactivity using synthetic peptide probes

L. S. Zalman and H. Müller-Eberhard 301 Homologous restriction factor: effect on complement C8 and C9 uptake and lysis

M. Oppermann and O. Götze 307 Characterization of physiologic breakdown products of the complement fragment Ba

T. Hettmann and A. Cohen 315 Identification of a T cell-specific transcriptional enhancer 3′ of the human T cell receptor gamma locus

K. A. Gómez and L. A. Retegui 323 Synergistic monoclonal antibodies' interactions and their use for determination of antibody specificities

i *Forthcoming Papers*

NUMBER 5

A. Daser, H. Urlaub and P. Henklein 331 HLA-B27 binding peptides derived from the 57 kD heat shock protein of *Chlamydia trachomatis*: novel insights into the peptide binding rules

T. Yano and M. Nakao 337 Isolation of a carp complement protein homologous to mammalian factor D

D. T. M. Leung, T. T. Loh and P. L. Lim 343 The antigen-specific immunoglobulin G receptor is more sensitive to stimulation than the IgM receptor in transfected B cells

P. L. Lim, S. T. H. Chan, D. T. M. Leung, S. S. M. Ng and T. T. Loh 351 Production of anti-phosphorylcholine antibodies of the T15 idiotype in CBA/N *xid* mice: investigation of the defect using a T15 immunoglobulin transgene

T. Babas, S. Benichou, D. Guetard, L. Montagnier and E. Bahraoui 361 Specificity of antipeptide antibodies produced against V2 and V3 regions of the external envelope of human immunodeficiency virus type 2

K. Sato, M. Tsuchiya, J. Saldanha, Y. Koishihara, Y. Ohsugi, T. Kishimoto and M. M. Bendig 371 Humanization of a mouse anti-human interleukin-6 receptor antibody comparing two methods for selecting human framework regions

R. A. Insel, W. S. Varade and E. Marin 383 Human splenic IgM immunoglobulin transcripts are mutated at high frequency

B. Åkerström, A. Lindqvist, C. V. Maelen, A. Grubb, G. Lindahl and J.-P. Vaerman 393 Interaction between streptococcal protein Arp and different molecular forms of human immunoglobulin A

M. Bochan, G. Hommel-Berrey and Z. Brahmi 401 Target cell-directed degradation of perforin mRNA in CTL: lack of correlation with loss of protein and lytic ability

411 *Announcement*

i *Forthcoming Papers*

NUMBER 6

M. P. I. Serrano, A. Cardona, B. Vernet der Garabedian, J.-F. Bach and J.-M. Pléau 413 Nucleotide sequences of variable regions of an human anti-acetylcholine receptor autoantibody derived from a myasthenic patient

S. Vasile, J. E. Coligan, M. Yoshida and B. K. Seon — 419 Isolation and chemical characterization of the human B29 and mb-1 proteins of the B cell antigen receptor complex

G. Tosi, S. Brunelli, G. Mantero, A. R. Magalini, M. Soffiati, L. Pinelli, G. Tridente and R. S. Accolla — 429 The complex interplay of the DQB1 and DQA1 loci in the generation of the susceptible and protective phenotype for insulin-dependent diabetes mellitus

J.-C. Mani, V. Marchi and C. Cucurou — 439 Effect of HIV-1 peptide presentation on the affinity constants of two monoclonal antibodies determined by BIAcore™ technology

J. M. C. Teng and K. T. Hogan — 445 Residues outside of the HLA-A2 peptide-binding groove can abrogate or enhance recognition of influenza virus matrix peptide pulsed cells by cytotoxic T lymphocytes

J. M. C. Teng and K. T. Hogan — 459 Both major and minor peptide-binding pockets in HLA-A2 influence the presentation of influenza virus matrix peptide to cytotoxic T lymphocytes

L. R. Covey, A. M. Cleary, M. J. Yellin, R. Ware, G. Sullivan, J. Belko, M. Parker, P. Rothman, L. Chess and S. Lederman — 471 Isolation of cDNAs encoding T-BAM, a surface glycoprotein on $CD4^+$ T cells mediating contact-dependent helper function for B cells: identity with the CD40-ligand

A. M. Wu, F. Shen, A. Herp and J. H. Wu — 485 Interaction of hamster submaxillary sialyl-Tn and Tn glycoproteins with Gal, GalNAc and GlcNAc specific lectins

P. M. Smith, E. K. Ong, R. B. Knox and M. B. Singh — 491 Immunological relationships among Group I and Group V allergens from grass pollen

Short communication

J. Hansen, J.-A. Leong and S. Kaattari — 499 Complete nucleotide sequence of a rainbow trout cDNA encoding a membrane-bound form of immunoglobulin heavy chain

i *Forthcoming Papers*

NUMBER 7

C. Persin, M. Korn, L. Vogel and D. Haustein — 503 The composition of the intracellular domains of the B cell antigen receptor complex studied from the cytoplasmic side of the membrane

K. Hazeki, T. Seya, O. Hazeki and M. Ui — 511 Involvement of the pertussis toxin-sensitive GTP-binding protein in regulation of expression and function of granulocyte complement receptor type 1 and type 3

K. Minoguchi, H. Kihara, H. Nishikata, M. M. Hamawy and R. P. Siraganian — 519 Src family tyrosine kinase Lyn binds several proteins including paxillin in rat basophilic leukemia cells

Lan-Yang Ch'ang, Chin-Ping Yen, L. Besl, M. Schell and A. Solomon — 531 Identification and characterization of a functional human Ig $V_{\lambda VI}$ germline gene

P. R. Droupadi, J. M. Varga and D. S. Linthicum — 537 Mechanism of allergenic cross-reactions—IV. Evidence for participation of aromatic residues in the ligand binding site of two multi-specific IgE monoclonal antibodies

P. Rovero, D. Riganelli, D. Fruci, S. Viganò, S. Pegoraro, R. Revoltella, G. Greco, R. Butler, S. Clementi and N. Tanigaki — 549 The importance of secondary anchor residue motifs of HLA class I proteins: a chemometric approach

M. Adib-Conquy, M. Gilbert, C. Christodoulou and S. Avrameas — 555 Reactivity and structure of a mouse anti-F(ab')$_2$ IgM. Comparison of its variable region sequences with those of a structurally close polyreactive natural IgM

Short communication

N. J. Fasel, N. Deglon, C. Beghdadi-Rais, R. Law, C. Bron and R. Wall — 563 Minimal membrane and secreted μ poly(A) signals specify developmentally-regulated immunoglobulin heavy chain mRNA ratios without RNA splicing

567 *Announcement*

i *Forthcoming Papers*

NUMBER 8

P. Corbeau, M. Haran, H. Binz and C. Devaux — 569 Jacalin, a lectin with anti-HIV-1 properties, and HIV-1 gp120 envelope protein interact with distinct regions of the CD4 molecule

L. J. N. Cooper, D. Robertson, R. Granzow and N. S. Greenspan — 577 Variable domain-identical antibodies exhibit IgG subclass-related differences in affinity and kinetic constants as determined by surface plasmon resonance

J. D. Rioux, Y. Larose, B. R. Brodeur, D. Radzioch and M. M. Newkirk — 585 Structural characteristics of four human hybridoma antibodies specific for the pp65 protein of the human cytomegalovirus and their relationship to human rheumatoid factors

K. H. Roux and N. S. Greenspan — 599 Monitoring the formation of soluble immune complexes composed of idiotype and anti-idiotype antibodies by electron microscopy

P. Arvind, E. D. Papavassiliou, G. J. Tsioulias, B. W. Duceman, C. I. P. Lovelace, W. Geng, L. Staiano-Coico and B. Rigas — 607 Lithocholic acid inhibits the expression of HLA class I genes in colon adenocarcinoma cells. Differential effect on HLA-A, -B and -C loci

M. C. Mullenix and R. F. Mortensen — 615 Calcium ion binding regions in C-reactive protein: location and regulation of conformational changes

I. Vitte-Mony, M. Delespine-Carmagnat and J. H. Bertoglio — 623 Signal transduction of interleukin 2 in human natural killer cells: involvement of the p56^{lck} tyrosine kinase

W. R. Brown and J. E. Butler — 633 Characterization of a Cα gene of swine

i *Forthcoming Papers*

NUMBER 9

D. A. Tanguay and T. C. Chiles — 643 Cell cycle-specific induction of Cdk2 expression in B lymphocytes following antigen receptor cross-linking

B. S. Wang, R.-j. Zhang, C. A. Bona and T. M. Moran	651	Promotion of animal growth with a monoclonal anti-idiotype specific to anti-porcine growth hormone antibody
J.-P. Frippiat and M.-P. Lefranc	657	Genomic organisation of 34 kb of the human immunoglobulin lambda locus (IGLV): restriction map and sequences of new Vλ III genes
I. MacDonald, K. A. Knox and J. Gordon	671	Stimulation of human B lymphocytes by phorbol esters reported to be selective in the protein kinase C isoforms they activate
N. A. Mooney, L. Ju, C. Brick-Ghannam and D. J. Charron	675	Bacterial superantigen signaling via HLA class II on human B lymphocytes
A. H. Horwitz, R. Nadell, F. Preugschat and M. Better	683	Chimeric immunoglobulin light chains are secreted at different levels: influence of Framework-1 amino acids
D. L. DiGiusto and E. Palmer	693	An analysis of sequence variation in the β chain framework and complementarity determining regions of an alloreactive T cell receptor
	701	*Announcement*
	703	*Errata*
	i	*Forthcoming Papers*

NUMBER 10

B. A. Tjoa and D. M. Kranz	705	Sequence restrictions in T cell receptor β-chains that have specificity for a self-peptide/L^d complex
D. B. Rubinstein, R. S. Schwartz, T. Guillaume, P. Leblanc and A. K. Stewart	713	Germline complexity, restriction fragment length polymorphism, and coding region sequences of the human VH7 gene family identified with family-specific FR3 segment oligonucleotides
M. Xu, G. A. Capraro, M. Daibata, V. E. Reyes and R. E. Humphreys	723	Cathepsin B cleavage and release of invariant chain from MHC class II molecules follow a staged pattern
J. E. Pease, D. R. Burton and M. D. Barker	733	Site directed mutagenesis of the complement C5a receptor—examination of a model for its interaction with the ligand C5a
K. E. Forsten and D. A. Lauffenburger	739	The role of low-affinity interleukin-2 receptors in autocrine ligand binding: alternative mechanisms for enhanced binding effect
C. R. Libertin, L. Ling-Indeck, M. Padilla and G. E. Woloschak	753	Cytokine and T-cell subset abnormalities in immunodeficient wasted mice
B. D. Reilly, V. M. Skanes and R. P. Levine	761	Evidence showing that the 1105 and 1106 isotypic residues of the fourth component of human complement, C4A, are not involved in amide bond formation
R. Bei, J. Kantor, S. V. S. Kashmiri and J. Schlom	771	Serological and biochemical characterization of recombinant baculovirus carcinoembryonic antigen
	781	*Announcement*
	i	*Forthcoming Papers*

NUMBER 11

J. E. Riggs, A. J. Feeney, M. Kirven and D. E. Mosier — 783 V_H11 bias and normal V-D-J junctions in SCID B lymphocytes rescued by neonatal T cell transfer

M. F. Prummel, G. Chazenbalk, J. C. Jaume, B. Rapoport and S. M. McLachlan — 793 Profile of lambda light chain variable region genes in Graves' orbital tissue

Y.-S. Jang, J. A. Mikszta and B. S. Kim — 803 T cell epitope recognition involved in the low-responsiveness to a region of hen egg lysozyme (46–61) in C57BL/6 mice

A. Sette, J. Sidney, M.-F. del Guercio, S. Southwood, J. Ruppert, C. Dahlberg, H. M. Grey and R. T. Kubo — 813 Peptide binding to the most frequent HLA-A class I alleles measured by quantitative molecular binding assays

T. Ventura-Holman, J. C. Jones, S. H. Ghaffari and C. J. Lobb — 823 Structure and genomic organization of VH gene segments in the channel catfish: members of different VH gene families are interspersed and closely linked

M. Oshima, A. R. Pachner and M. Z. Atassi — 833 Profile of the regions of acetylcholine receptor α chain recognized by T-lymphocytes and by antibodies in EAMG-susceptible and non-susceptible mouse strains after different periods of immunization with the receptor

D. F. Lake, K. S. Lam, L. Peng and E. M. Hersh — 845 Molecular cloning, expression and mutagenesis of an anti-insulin single chain Fv (scFv)

A. Buchwalder, M. S. Krangel, P. Hao and D. J. Diamond — 857 Immunochemical and molecular analysis of antigen binding to lipid anchored and soluble forms of an MHC independent human α/β T cell receptor

873 *Announcement*

i *Forthcoming Papers*

NUMBER 12

C. Knall, A. Ingold and T. A. Potter — 875 Analysis of coreceptor versus accessory molecule function of CD8 as a correlate of exogenous peptide concentration

S. Demotz, C. Danieli, H.-J. Wallny and O. Majdic — 885 Inhibition of peptide binding to DR molecules by a leupeptin-induced invariant chain fragment

E. N. Tsitsikov, N. Ramesh and R. S. Geha — 895 Structure of the murine CD40 ligand gene

T. Bakács, H. U. Lutz, G. Tusnády, L. Varga, A. H. Merry and R. R. Sim — 901 An indirect effect of an antibody on complement deposition and lysis of differently sensitized surrounding cells

N. Rauffer, G. Zeder-Lutz, R. Wenger, M. H. V. Van Regenmortel and D. Altschuh — 913 Structure–activity relationships for the interaction between cyclosporin A derivatives and the Fab fragment of a monoclonal antibody

G. Baier, K. M. Coggeshall, G. Baier-Bitterlich, L. Giampa, D. Telford, E. Herbert, W. Shih and A. Altman — 923 Construction and characterization of *lck*- and *fyn*-specific tRNA:ribozyme chimeras

K. H. Roux, W. W. Shuford, J. W. Finley, J. Esselstyn, S. Pankey, H. V. Raff and L. J. Harris — 933 Characterization of biosynthetic IgG oligomers resulting from light chain variable domain duplication

B. L. Talken, L. G. Harrison and D. R. Lee — 943 Association of L^d-restricted peptides with the wild-derived mouse L^{w16} MHC class I molecule

i *Forthcoming Papers*

NUMBER 13

B. L. Rogers, J. F. Bond, S. J. Craig, A. K. Nault, D. B. Segal, J. P. Morgenstern, M.-S. Chen, C. B. Bizinkauskas, C. M. Counsell, A. M. Lussier, T. Luby, M.-C. Kuo, T. J. Briner and R. D. Garman — 955 Potential therapeutic recombinant proteins comprised of peptides containing recombined T cell epitopes

J. P. Dutz, T. J. Tsomides, S. Kageyama, M. H. Rasmussen and H. N. Eisen — 967 A cytotoxic T lymphocyte clone can recognize the same naturally occurring self peptide in association with a self and a nonself class I MHC protein

Y.-H. Chen, G. Böck, R. Vornhagen, F. Steindl, H. Katinger and M. P. Dierich — 977 HIV-1 gp41 binding proteins and antibodies to gp41 could inhibit enhancement of human Raji cell MHC class I and II expression by gp41

M. Ohlin, H. Owman, J. D. Rioux, M. M. Newkirk and C. A. K. Borrebaeck — 983 Restricted variable region gene usage and possible rheumatoid factor relationship among human monoclonal antibodies specific for the AD-1 epitope on cytomegalovirus glycoprotein B

J. Madrenas, D. H. Vincent, J. Kriangkum, J. F. Elliott and P. F. Halloran — 993 Alternatively spliced, germline Jα11-2-Cα mRNAs are the predominant T cell receptor α transcripts in mouse kidney

M. Sigvardsson and T. Leanderson — 1005 Positive transcriptional control elements within the SP6 κ promoter decamer 3′ flanking sequence

J.-H. Huang, N. S. Greenspan and M. L. Tykocinski — 1017 Alloantigenic recognition of artificial glycosyl phosphatidylinositol-anchored HLA-A2.1

E. E. Max, N. Jahan, H. Yi and W. O. McBride — 1029 A processed J chain pseudogene on human chromosome 8 that is shared by several primate species

i *Forthcoming Papers*

NUMBER 14

C. Stemmer, J.-P. Briand and S. Muller — 1037 Mapping of linear epitopes of human histone H1 recognized by rabbit anti-H1/H5 antisera and antibodies from autoimmune patients

S. M. Kipriyanov, S. Dübel, F. Breitling, R. E. Kontermann and M. Little — 1047 Recombinant single-chain Fv fragments carrying C-terminal cysteine residues: production of bivalent and biotinylated miniantibodies

E. Döring, R. Stigler, G. Grütz, R. Von Baehr and J. Schneider-Mergener — 1059 Identification and characterization of a TNFα antagonist derived from a monoclonal antibody

W. Chen, J. Fecondo and J. McCluskey	1069	The structural influence of individual residues located within peptide antigen depends upon their sequence context
R. K. Bright, M. H. Shearer and R. C. Kennedy	1077	SV40 large tumor antigen associated synthetic peptides define native antigenic determinants and induce protective tumor immunity in mice
M. Benhamou, E. H. Berenstein, M.-H. Jouvin and R. P. Siraganian	1089	The receptor with high affinity for IgE on rat mast cells is a functional receptor for rat IgG2a
V. Guelpa-Fonlupt, D. Bossy, P. Alzari, F. Fumoux, M. Fougereau and C. Schiff	1099	The human pre-B cell receptor: structural constraints for a tentative model of the pseudo-light (ΨL) chain
P. L. Lim, D. T. M. Leung, Y. L. Chui and C. H. Ma	1109	Structural analysis of a phosphorylcholine-binding antibody which exhibits a unique carrier specificity for *Trichinella spiralis*
		Short Communication
D. P. Singal and X. Qiu	1117	Polymorphism in the upstream regulatory region and level of expression of HLA-DRB genes
		Brief Structural Data Report
M.-H. Cottet, C. Denoyelle and G. Bordenave	1121	Epitope complementarity and idiotypic interactions: a study of idiotypic-like interactions between anti-cytidine and anti-guanosine A/J mouse monoclonal antibodies. III. Immunochemical and structural analysis of a third party antibody: an anti-idiotypic antibody directed against an anti-guanosine antibody
	i	*Forthcoming Papers*

NUMBER 15

J. Jongstra, M.-E. Ittel, N. N. Iscove and G. Brady	1125	The *LSP*1 gene is expressed in cultured normal and transformed mouse macrophages
V. van Kampen, W.-M. Becker, Z. Chen, H.-P. Rihs, G. Mazur, M. Raulf, V. Liebers, S. Isringhausen-Bley and X. Baur	1133	Analysis of B-cell epitopes in the N-terminal region of *Chi t* I component III using monoclonal antibodies
P. M. Fischer and M. E. H. Howden	1141	Synthetic peptide antigens of tetanus toxin
J. Bagley, P. J. Dillon, C. Rosen, J. Robinson, J. Sodroski and W. A. Marasco	1149	Structural characterization of broadly neutralizing human monoclonal antibodies against the CD4 binding site of HIV-1 gp120
B. Nag, P. V. Mukku, S. Arimilli, D. Phan, S. V. Deshpande and J. L. Winkelhake	1161	Antigenic peptide binding to MHC class II molecules at increased peptide concentrations
B. L. Talken, K. Peterson, L. G. Harrison and D. R. Lee	1169	A polymorphic residue in the amino terminal α1 hemi-domain of the mouse L^d class I molecule affects its assembly and surface expression
S. E. Dierks, K. A. Campbell, E. J. Studer and D. H. Conrad	1181	Molecular mechanisms of murine FcϵRII/CD23 regulation
W. Huang, B. Nardelli and J. P. Tam	1191	Lipophilic multiple antigen peptide system for peptide immunogen and synthetic vaccine

M. L. Phillips, Mi-Hua Tao, S. L. Morrison and V. N. Schumaker — 1201 Human/mouse chimeric monoclonal antibodies with human IgG1, IgG2, IgG3 and IgG4 constant domains: electron microscopic and hydrodynamic characterization

1211 *Announcement*

i *Forthcoming Papers*

NUMBER 16

I. C. Nicholson and H. Zola — 1213 Rapid detection of immunoglobulin gene somatic hypermutation using heteroduplex formation

J. R. Frey, L. Kuhn, J. R. Kettman and I. Lefkovits — 1219 The amino acid composition of 350 lymphocyte proteins

H. Haouas and A. Benammar-el Gaaied — 1233 A genetic marker of rabbit immunoglobulin V_Ha region: a109

A. Mey, D. Ponard, M. Colomb, G. Normier, H. Binz and J.-P. Revillard — 1239 Acylation of the lipid A region of a *Klebsiella pneumoniae* LPS controls the alternative pathway activation of human complement

V. Pancré, I. Wolowczuk, M. Bossus, H. Gras-Masse, S. Guerret, A. Delanoye, A. Capron and C. Auriault — 1247 Evaluation of the effect of Sm28GST-derived peptides in murine hepatosplenic schistosomiasis: interest of the lipopeptidic form of the C-terminal peptide

A. Delvig, S. Jahn, B. Kusecek, J. E. Heckels, E. Rosenqvist, E. A. Høiby, T. E. Michaelsen and M. Achtman — 1257 A comparison of human and murine monoclonal IgGs specific for the P1.7 PorA protein of *Neisseria meningitidis*

T. Heike, R. Nishikomori, M. Kawai, A. Tsuboi, N. Arai and H. Mikawa — 1269 Developmental changes of GM-CSF gene inducibility in embryonal carcinoma cells

P. Flomenberg, E. Gutierrez and K. T. Hogan — 1277 Identification of class I MHC regions which bind to the adenovirus E3-19k protein

R. C. Brower, R. England, T. Takeshita, S. Kozlowski, D. H. Margulies, J. A. Berzofsky and Charles DeLisi — 1285 Minimal requirements for peptide mediated activation of $CD8^+$ CTL

i *Forthcoming Papers*

NUMBER 17

C. Oetken, M. von Willebrand, A. Marie-Cardine, T. Pessa-Morikawa, A. Ståhls, S. Fisher and T. Mustelin — 1295 Induction of hyperphosphorylation and activation of the $p56^{lck}$ protein tyrosine kinase by phenylarsine oxide, a phosphotyrosine phosphatase inhibitor

N. Bangia, B. Ghumman and T. H. Watts — 1303 Effects of MHC II conformation and pH on the recognition of peptide by T cells

A. Terskikh, S. Couty, A. Pèlegrin, N. Hardman, W. Hunziker and J.-P. Mach 1313 Dimeric recombinant IgA directed against carcino-embryonic antigen, a novel tool for carcinoma localization

C. A. Rey-Millet, C. L Villiers, F. M. Gabert, S. Chesne and M. G. Colomb 1321 C3b covalently associated to tetanus toxin modulates TT processing and presentation by U937 cells

W. Jung, S. Krueger, C. Renner, A. Gause, U. Sahin, L. Trümper and M. Pfreundschuh 1329 Opposite effects of the CD30 ligand are not due to CD30 mutations: Results from cDNA cloning and sequence comparison of the CD30 antigen from different sources

J. T. Beck, S. A. Marsters, R. J. Harris, P. Carter, A. Ashkenazi and S. M. Chamow 1335 Generation of soluble interleukin-1 receptor from an immunoadhesin by specific cleavage

R. M. Pitti, S. A. Marsters, M. Haak-Frendscho, G. C. Osaka, J. Mordenti, S. M. Chamow and A. Ashkenazi 1345 Molecular and biological properties of an interleukin-1 receptor immunoadhesin

I. Godard, J. Estaquier, L. Zenner, M. Bossus, C. Auriault, F. Darcy, H. Gras-Masse and A. Capron 1353 Antigenicity and immunogenicity of P30-derived peptides in experimental models of toxoplasmosis

Short Communications

Y. Lu, G. D. Ussery, M. Jacim, M. Tschickardt, J. M. Boss and G. Blanck 1365 Retinoblastoma protein regulation of surface CD74 (invariant chain) expression in breast carcinoma cells

K. L. Armour, P. R. Tempest, P. H. Fawcett, M. L. Fernie, S. I. King, P. White, G. Taylor and W. J. Harris 1369 Sequences of heavy and light chain variable regions from four bovine immunoglobulins

Brief Structural Data Report

K. Bush, N. K. Day, L. A. Kraus, R. A. Good and W. G. Bradley 1373 Molecular cloning of feline interleukin 12 p35 reveals the conservation of leucine-zipper motifs present in human and murine IL-12 p35

1375 *Announcement*

i *Forthcoming Papers*

NUMBER 18

Review

D. Eilat and W. F. Anderson 1377 Structure–function correlates of autoantibodies to nucleic acids. Lessons from immunochemical, genetic and structural studies

General Papers

M. C. W. Feltkamp, M. P. M. Vierboom, W. M. Kast and C. J. M. Melief 1391 Efficient MHC class I–peptide binding is required but does not ensure MHC class I-restricted immunogenicity

É. Rajnavölgyi, Z. Nagy, I. Kurucz, P. Gogolák, G. K. Tóth, G. Váradi, B. Penke, Z. Tigyi, M. Hollósi and J. Gergely 1403 T cell recognition of the posttranslationally cleaved intersubunit region of influenza virus hemagglutinin

T. Endo, J. Mestecky, R. Kulhavy and A. Kobata 1415 Carbohydrate heterogeneity of human myeloma proteins of the IgA1 and IgA2 subclasses

E. Celis, J. Fikes, P. Wentworth, J. Sidney, S. Southwood, A. Maewal, M.-F. Del Guercio, A. Sette and B. Livingston 1423 Identification of potential CTL epitopes of tumor-associated antigen MAGE-1 for five common HLA-A alleles

M. H. Smith, K. S. Lam, E. M. Hersh, M. Lebl and W. J. Grimes 1431 Peptide sequences binding to MHC class I proteins

R. G. Posner and M. Dembo 1439 Binding of bivalent ligand to cell surface IgE: can one detect ring formation?

Short Communication

G. M. O'Neill, G. R. Donovan and B. A. Baldo 1447 Sequence analyses of the native form of a major house dust mite allergen and its nascent polypeptide

i *Forthcoming Papers*

I *Index for Volume* 31, 1994